EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("5966532" "6112015").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:42
S2	173	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:44
S3	1	("dialog box") with (display$3) with (info information data) with (install $5) with (process device) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:47
S4	1	("dialog box") with (display$3) with (info information data) with (install $5) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:08
S5	283	("dialog box") with (display$3) with (info information data) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:05
S6	10	S2 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:48
S7	272	(data information info) with (install $5) with (format type) with (identifier assign $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:08
S8	3	S7 and ((dialog near box) with (display$3) with (info information data) with (type format identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 13:10

S16	1	assign$4 with (dialog near box) with (library) with (computer device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:06
S17	15	(relat$3 assign$4 associat$3) with (dialog near box) with (database library) with (computer device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 11:06
S18	45780	(display$3 generat $3 creat$3) with (data information info) with (type form$2) with (select$3 assign $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:22
S19	47056	(display$3 generat $3 creat$3) with (data information info) with (type form$2) with (select$3 assign$4 choos$3 chos$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:22
S20	21879	(display$3 generat $3 creat$3) with (data information info) with (type) with (select$3 assign$4 choos$3 chos$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:25
S21	4712	(display$3 generat $3 creat$3) with (data information info) with (type) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:26
S22	3872	display$3 with (data information info) with (type) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:26

S23	760	display$3 with (data information info) with (type) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface) with (stor$3 sav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:29
S24	111	S23 and "715"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:29
S25	253	display$3 with ((data information info) near2 type) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface) with (stor$3 sav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:30
S26	417	display$3 with ((data information info) near2 (format type)) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface) with (stor$3 sav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:35
S27	56	S26 and "715"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36
S28	60	display$3 with ((data information info) near2 (format type)) with (assign$4) with (box screen window GUI interface) with (stor$3 sav$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36

S29	8	S28 and "715"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:36
S30	183	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 10:38
S31	1641	715/764.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:17
S32	180	715/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S33	5951	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S34	1164	700/90.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S35	60	display$3 with ((data information info) near2 (format type)) with (assign$4) with (box screen window GUI interface) with (stor$3 sav$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18
S36	2	(S31 S32 S33 S34) and (S35)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:18

S37	417	display$3 with ((data information info) near2 (format type)) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface) with (stor$3 sav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S38	16	(S31 S32 S33 S34) and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S39	3075	(display$3 generat $3 creat$3) with ((data information info) near3 (type format)) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:19
S40	102	(S31 S32 S33 S34) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:20
S42	13	(box and (dialog) and (data) and type and stor$3 and assign$4 and display$3).clm.	US-PGPUB	OR	ON	2008/03/14 10:22
S43	2	(box and (dialog display) and (data) and type and stor $3 and assign$4 and installation). clm.	US-PGPUB	OR	ON	2008/03/14 10:22

S44	0	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format) with (consist$3 compris$3 includ $3) with (process) with (status) with (control$4) with (regulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:42
S45	0	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format) with (process) with (status) with (control$4) with (regulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:43
S46	2	(data information info) with (type format) with (process) with (status) with (control$4) with (regulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:43
S47	8	(type format) with (process) with (status) with (control$4) with (regulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:44
S48	120078	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46
S49	11107	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format) with (status control regulat$3 process install$5) with (compris$3 consist$3 includ$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46

S50	8823	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format) with (status control regulat$3) with (compris$3 consist$3 includ$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:48
S51	370	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type format) with (status) with (control regulat$3) with (compris$3 consist$3 includ$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:50
S52	444	((process industrial) with (install$5)) and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:54
S53	18	((process industrial) with (install$5)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:56
S54	331	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type) with (status) with (control regulat$3) with (compris$3 consist$3 includ$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:59

S55	21	(select$3 choos$3 chos$3 pick$3) with (data information info) with (type) with (status) with (control regulat$3) with (process install$5 industrial) with (compris$3 consist$3 includ$3 among between)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:00
S56	197	715/809.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:33
S57	437	715/864.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:33
S58	202	715/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S59	1432	715/700.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S60	1262	700/90.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S61	7101	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:34
S62	2	(box and (dialog display) and (data) and type and stor $3 and assign$4 and installation). clm.	US-PGPUB	OR	ON	2008/12/31 10:34

S63	63	display$3 with ((data information info) near2 (format type)) with (assign$4) with (box screen window GUI interface) with (stor$3 sav$3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:35
S64	3499	(display$3 generat $3 creat$3) with ((data information info) near3 (type format)) with (select$3 assign$4 choos$3 chos$3) with (box screen window GUI interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:35
S65	108	(S56 S57 S58 S59 S60 S61) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:36
S66	10531	(conver$4 assign $4) with (data information info) with (type format) with (sav$3 stor$3 default preset existing) with (transmit$4 transmission load $3 download$3 transfer$4 sent send$3 upload$3 receiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38
S67	151	(conver$4 assign $4) with (data information info) with (type format) with (sav$3 stor$3 default preset existing) with (transmit$4 transmission load $3 download$3 transfer$4 sent send$3 upload$3 receiv$3) with display$3 with	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38

		(process install$5)				
S68	152	(conver$4 assign $4) with (data information info) with (type format) with (sav$3 stor$3 default preset existing) with (transmit$4 transmission load $3 download$3 transfer$4 sent send$3 upload$3 receiv$3) with display$3 with (process install$5 industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:38
S69	77	(conver$4 assign $4) with (data information info) with (type) with (sav$3 stor$3 default preset existing) with (transmit$4 transmission load $3 download$3 transfer$4 sent send$3 upload$3 receiv$3) with display$3 with (process install$5 industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:39
S70	1	(S56 S57 S58 S59 S60 S61) and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:40
S71	18	wiedenberg-peter. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:40
S72	1	(display and data and type and box). clm. and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:41

S73	832	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:41
S74	2	(display and (industrial installation) and data and type and assign$4 and dialog and box). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:42
S75	242	(type) with (data) with (receiv$3 transfer$4 transmit $4 load$3 upload $3) with (convert $3 convers$3 label $4 categoriz$5 assign$4) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 12:51
S76	38	S75 and (industrial installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 12:52
S78	408	display$3 with (data information) with (process installation) with (industrial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:03
S79	0	display$3 with (data information) with (process installation) with (industrial) with (type) with (label $3 categoriz$5 assign$4 predefin $3) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:04
S80	1	display$3 with (data information) with (process installation) with (industrial) with (type) with (label $3 categoriz$5 assign$4 predefin $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:04

S81	4183	(type) with (data) with (receiv$3 transfer$4 transmit $4 load$3 upload $3) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:05
S82	1	display$3 with (data information) with (process installation) with (industrial) with (type) with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:05
S83	3857	data near5 type near5 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:06
S84	77	data near5 type near5 status near5 (label$4 categoriz $5 assign$4 convers$3 convert $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:07
S85	21045	(data) with (type kind format) with (receiv$3 transfer $4 transmit$4) with (consist$3 compris$3 includ $3) with (status regulat$3 process control$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:13
S86	2861	(data) near6 (type kind format) near6 (receiv$3 transfer $4 transmit$4) near6 (consist$3 compris$3 includ $3) near6 (status regulat$3 process control$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:15
S87	36	S86 and (industrial process) with (installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:17

S88	1262	(data) near6 (type) near6 (receiv$3 transfer $4 transmit$4) near6 (consist$3 compris$3 includ $3) near6 (status regulat$3 control $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:25
S89	49	S88 and ("715"/$. ccls. "700"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:26
S90	2	((process) with status with control $4 with regulat$3 with (data information) with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:30
S91	0	(industrial installation) with data near5 type near5 (consist$3 includ$3 compris $3) with (status regulat$3 control $4) with (transfer $4 transmit$4 receiv$3) with (assign$4 label$4 categoriz$5 convert $3 convers$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:34
S92	3	(industrial installation) with data with type with (consist$3 includ$3 compris $3) with (status regulat$3 control $4) with (transfer $4 transmit$4 receiv$3) with (assign$4 label$4 categoriz$5 convert $3 convers$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 13:39

S93	40	(data information) near5 (assign$4 giv $3 label$4 convert $3 convers$3 fit$4 plac$5) near5 (type categor$3) near5 (receiv$3 transmi$5 sent) near5 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:28
S95	875	(categor$7 type) with (data information) with (status) with (temperature batter$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:35
S96	193	(categor$7 type) with (data information) with (status) with (temperature batter$3) with (receiv$3 transmi $5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:35
S97	20	(categor$7 type) with (data information) with (status) with (temperature batter$3) with (receiv$3 transmi $5) with (assign$4 convert$3 convers $3 chang$3 alter $5 adjust$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 15:36

1/14/09 9:51:21 AM
C:\ Documents and Settings\ TZhou\ My Documents\ EAST\ Workspaces\ 10\ 10773433.wsp